



Turning Light into Savings ▶▶▶



▶ 100W / 150W

▶ 45W / 75W

GSC Gas Station Canopy

45W, 75W, 100W, 150W

naturaLED® Gas Station Canopy (GSC) is designed to replace existing under canopy metal halide light fixtures in gas station canopies easily and cost effectively.

Our Gas Station Canopy LED provides advantages such as: longer life, lower energy consumption and better lighting characteristics, eliminated maintenance with 50,000+ hours of rated lamp life. Our fixtures are DLC certified and IP65 rated.



Key Features & Benefits

- ▶ Design Lights Consortium Certified
- ▶ Long Life LED Chips
- ▶ Uniform and consistent color
- ▶ Excellent thermal design
- ▶ Aluminum & Glass
- ▶ Universal Voltage 120-277V
- ▶ Working Temperature : -22°F ~ 130°F
- ▶ 50,000 hrs rated average life

Applications

- ▶ Gas Station Lighting

Color Choices





White

Qualifications







ORDERING INFORMATION



Item Code	Description	Color Temp	Wattage	Lumen Output	Equivalent Wattage	Voltage	Beam Angle	CRI	Rated Hours		
7440	LED-FXGSC45/50K/WH	5000K	45	5,400	250W	120-277V	115°	>80	50,000	•	•
7441	LED-FXGSC75/50K/WH	5000K	75	9,000	320W	120-277V	115°	>80	50,000	•	•
7553	LED-FXGSC100/50K/WH	5000K	100	12,000	400W	120-277V	115°	>80	50,000	•	•
7555	LED-FXGSC150/50K/WH	5000K	150	18,052	400W	120-277V	115°	>80	50,000	•	•

► Dimensions

	Item	A	B	C	Weight (lbs)
	45W	12.70-in	1.90-in	10.00-in	15
	75W	12.70-in	1.90-in	10.00-in	15
	100W	18.70-in	1.57-in	9.25-in	24
	150W	18.70-in	1.57-in	9.25-in	24

► Illuminance Distribution





Illuminance at a Distance

	Center Beam fc	Beam Width
3.0R	494.4 fc	9.3 ft 9.3 ft
6.0R	123.6 fc	18.5 ft 18.6 ft
9.0R	54.9 fc	27.8 ft 27.9 ft
12.0R	30.9 fc	37.0 ft 37.2 ft
15.0R	19.8 fc	46.3 ft 46.5 ft

■ Vert. Spread: 114.1°
■ Horiz. Spread: 114.3°

Illuminance at a Distance

	Center Beam fc	Beam Width
4.0R	337.8 fc	12.4 ft 12.6 ft
8.0R	84.4 fc	24.8 ft 25.1 ft
12.0R	37.5 fc	37.2 ft 37.7 ft
16.0R	21.1 fc	49.6 ft 50.3 ft
20.0R	13.5 fc	62.0 ft 62.9 ft

■ Vert. Spread: 114.4°
■ Horiz. Spread: 115.1°

► Master Carton Package

